

ISUZU

RELIABILITY IS EVERYTHING



**LUBRICANT
PRODUCT GUIDE**



ISUZU LUBRICANTS

No matter what brand of truck or 4WD we've got it covered.

Australia's leading truck company has developed a range of Oils and Lubricants formulated to ensure ongoing protection of your truck or 4WD.

Whatever your choice of truck or 4WD and whatever the application, you can ensure it has the right lubricants to keep it running at peak performance.

The Isuzu lubricants range is designed and formulated to assist in the reduction of exhaust emissions, which helps provide a cleaner environment.

Talk to your local Isuzu dealer about the complete range of Isuzu Lubricants including engine oils, gear oils, coolant and grease to suit a wide range of applications.

The use of Isuzu lubricants will provide the ongoing protection you and your truck or 4WD deserve.

4 ENGINE OILS

5 TRANSMISSION & GEAR OILS

7 HYDRAULIC OILS

8 COOLANT

8 GREASE

9 BRAKE & CLUTCH

9 CAB TILT OIL

10 MISCELLANEOUS



NEXT GEN PLUS 10W-40 CK-4 E6/E9

SPECIFICATIONS	RECOMMENDATIONS	DESCRIPTION	PACK SIZE & PART NO.	OTHER INFORMATION
SAE GRADE 10W-40 API CK-4/SN ACEA E6/E9	CUMMINS CES 20081 CAT ECF-3 DETROIT DIESEL DDC 93K218 MACK EO-OPP VOLVO VDS-4.5 MAN M3477/M3271-1 MTU TYPE 3.1 MB 228.5 DEUTZ DQC IV-10LA RENAULT TRUCKS RLD-3	Isuzu Next Gen Plus ACEA E6/E9 is the very latest "Low SAPS" Diesel Engine Oil technology formulated for use in ISUZU trucks as well as other commercial vehicles including those fitted with DPD (Diesel Particulate Filter) systems. The carefully chosen base stock formulation meets the demands of Euro 6 and Euro 5 engine requirements as well as selection of earlier models. Provides protection for diesel engines ensuring reduced turbo charger deposits, reduced oil consumption as well as improved fuel efficiency over the whole drain period. Isuzu Next Gen E6/E9 is an advanced formulation developed using the latest technology.	5L 92958259 20L 92958260 205L 92958261 1000L 92958262	Bulk pump-ins available to all metro and some regional areas (41.0 litres minimum)



DIESEL GOLD 15W-40

SPECIFICATIONS	RECOMMENDATIONS	DESCRIPTION	PACK SIZE & PART NO.	OTHER INFORMATION
API CI-4/SL ACEA E7 GLOBAL DHD-1 SAE 15W-40	CUMMINS CES 20076, 77, 78 DETROIT DIESEL 93K215 DEUTZ DQC III-10 MACK EO-N MAN M 3275-1 MB 228.3 MTU DDC TYPE 2	Suitable for all EURO 3 truck brands and equipment requiring an API CI-4 or ACEA E7 rated oil.	5L 92956063 20L 92956064 205L 92956065	Bulk pump-ins available to all metro and some regional areas (41.0 litres minimum)



NEXT GEN LIGHT COMMERCIAL

SPECIFICATIONS	RECOMMENDATIONS	DESCRIPTION	PACK SIZE & PART NO.	OTHER INFORMATION
API SN/SM ACEA C2 ACEA C3 SAE 5W-30	BMW LONGLIFE- 04 DEXOS™ 2 Vw 505.00/505.01 MB 229.31 MB 229.51 MB 229.52	For use in light diesel applications requiring an ACEA C2 or ACEA C3 oil specification. Meets a number of different manufacturers requirements.	5L 92956694 20L 92956695 205L 92957512	Bulk pump-ins available to all metro and some regional areas (41.0 litres minimum)




AMT FLUID (AUTOMATED MANUAL TRANSMISSION)

SPECIFICATIONS	RECOMMENDATIONS	DESCRIPTION	PACK SIZE & PART NO.	OTHER INFORMATION
ISUZU specification	AISEN WARNER-A1 JASO M315 TYPE 1A	For use in ISUZU Automated Manual Transmissions. Provides high thermal stability under high stress loads.	5L 92956067	




GIGA AMT 90

SPECIFICATIONS	RECOMMENDATIONS	DESCRIPTION	PACK SIZE & PART NO.	OTHER INFORMATION
API GL-4/GL-5 SAE 90	MAN 342 TYPE M2 ZF TE-ML 05A ZF TE-ML 12E ZF TE-ML 17B ZF TE-ML 19B ZF-TE ML 21A	Designed for ISUZU Giga Automated Transmissions. Stays in grade under extreme loads and ensures gearbox efficiency with minimal wear. Also suitable for trucks and equipment requiring a GL-4/GL-5 SAE 90 specification.	20L 92956085 205L 92958458	



TRANS 50

SPECIFICATIONS	RECOMMENDATIONS	DESCRIPTION	PACK SIZE & PART NO.	OTHER INFORMATION
API GL-4 CATERPILLAR TO-4 SAE 50	EATON ALLISON C-4 (off road applications)	Mineral transmission oil for standard drain use in Eaton Road Ranger gearboxes.	20L 92956066	



ATF III (AUTOMATIC TRANSMISSION FLUID)

SPECIFICATIONS	RECOMMENDATIONS	DESCRIPTION	PACK SIZE & PART NO.	OTHER INFORMATION
DEXRON® III	ALLISON C-4 Caterpillar TO-2 Ford Mercon®	Semi-synthetic automatic transmission fluid. Excellent thermal stability and superior viscometrics improve transmission life. Can be used in a variety of applications asking for DEXRON™ III	1L 92956068 5L 92956069 20L 92957167	60 litres and 205 Litres also available.



TRANS 85W-140

SPECIFICATIONS	RECOMMENDATIONS	DESCRIPTION	PACK SIZE & PART NO.	OTHER INFORMATION
GL-4/GL-5 SAE 85W-140	MIL-L-2105 D VOLVO 97310 ZF TE-ML 05A ZF TE-ML 12E ZF TE-ML 16D ZF TE-ML 21 A	Mineral oil for use in differentials and transmission applications for Isuzu trucks and many other truck brands and equipment.	5L 92956070 20L 92956071 205L 92956473	Bulk pump-ins available to all metro and some regional areas (410 litres minimum)



FS TRANS 75W-80

SPECIFICATIONS	RECOMMENDATIONS	DESCRIPTION	PACK SIZE & PART NO.	OTHER INFORMATION
GL-4 SAE 75W-80	MAN 341 Type Z4 VOLVO 97307 ZF TE-ML 01L, 02L, 16K (ZF 003373)	Full-synthetic oil formulated for ZF transmissions. Its formulation maintains long-term performance and thermal stability over extreme temperatures. Extends drain intervals and ensures transmission efficiency. Formulated to meet drain intervals of 240,000 kilometres or 48 months.	5L 92956451 20L 92956452	



TRANS 80W-90 GL-5/MT-1

SPECIFICATIONS	RECOMMENDATIONS	DESCRIPTION	PACK SIZE & PART NO.	OTHER INFORMATION
SAE 80W-90 GL-5 MT-1 SAE J2360	MAN 342 TYPE M3 ZF-TE-ML05A,07A,12L,12M,16B,17B, 19B,21A ARVIN MERITOR 0-76-D MACK GO-J	Isuzu Trans 80W-90 is suited to Isuzu late model gearboxes including the MZW and AMT transmissions as well as other truck brands gear boxes requiring lubricants meeting recommendations specified. Isuzu Trans 80W-90 will assist with shifting and cold start transmission changes.	5L 92956133 20L 92956134 205L 92956135	Bulk pump-ins available to all metro and some regional areas (410 litres minimum)

Hydraulic Oils



HYDRAULIC AW 68

SPECIFICATIONS	RECOMMENDATIONS	DESCRIPTION	PACK SIZE & PART NO.	OTHER INFORMATION
ISO 68 DIN 51524-2: HLP AFNOR E48-603 FORD MC-6C32 US STEEL 126,127 DENISON HF-1, HF2, HF-0	CINCINNATI MILACRON P-68, P-69, P-70 Racine, variable, Volume vane pumps Ford M6-C32	High quality ISO 68 hydraulic oil for hydraulic systems requiring a product for hotter climates to ensure good oil flow properties in the most arduous conditions.	20L 92956927	



HYDRAULIC AW 46

SPECIFICATIONS	RECOMMENDATIONS	DESCRIPTION	PACK SIZE & PART NO.	OTHER INFORMATION
ISO 46 DIN 51524-2: HLP AFNOR E48-603 FORD MC-6C32 US STEEL 126,127 DENISON HF-1, HF2, HF-0	CINCINNATI MILACRON P-68, P-69, P-70 Racine, variable, Volume vane pumps Ford M6-C32	High quality ISO 46 hydraulic oil for hydraulic systems where climates vary and equipment requires an oil viscosity that stays in grade.	20L 92956926	



LONG LIFE ANTIFREEZE GREEN PREMIX SI-OAT

SPECIFICATIONS	RECOMMENDATIONS	DESCRIPTION	PACK SIZE & PART NO.	OTHER INFORMATION
AFNOR NFR 15-601 TYPE 1 ASTM D3306 ASTM D 4985 ASTM D 6210 BS 6580	Detroit Diesel 93K217 DEUTZ DQC CC-14 MAN 324 TYPE SI-OAT	Premix coolant with superior aluminium protection for radiator components. SI-OAT formulation based on Mono Ethylene Glycol, free of amines, nitrates and phosphates. Green in colour.	5L 92957732 20L 92957733 205L 92957734 1000L 92957865	Bulk pump-ins available to all metro and some regional areas (410 litres minimum)

Grease



GREASE MP2

SPECIFICATIONS	RECOMMENDATIONS	DESCRIPTION	PACK SIZE & PART NO.	OTHER INFORMATION
NLGI 2	Lithium Complex Blue Grease	Multi-purpose lithium complex grease designed for wheel bearings and chassis lubrication. Also suitable for many other automotive and equipment applications.	450G 92956074 20KG 92956075	180KG product also available

Brake & Clutch Fluid



BRAKE & CLUTCH FLUID

SPECIFICATIONS	RECOMMENDATIONS	DESCRIPTION	PACK SIZE & PART NO.	OTHER INFORMATION
DOT 4		For use in heavy and light ISUZU vehicles and other trucks and equipment requiring a DOT 4 specification.	500ML 92956076 4L 92956077	



CAB TILT OIL

SPECIFICATIONS	RECOMMENDATIONS	DESCRIPTION	PACK SIZE & PART NO.	OTHER INFORMATION
ISO 68		High Quality Hydraulic Oil with excellent wear protection. Zinc free.	1L 92956078	

Miscellaneous



DIESEL INJECTOR CLEANER

DESCRIPTION	PACK SIZE & PART NO.	OTHER INFORMATION
A high performance diesel fuel injector cleaner designed for use in passenger car and truck engines. Suitable for all diesel-powered vehicles including latest generation common rail diesel and bio-diesel blends.	350ML 1L	92956570 92956571



LIMITED SLIP DIFFERENTIAL (LSD) ADDITIVE

DESCRIPTION	PACK SIZE & PART NO.	OTHER INFORMATION
A specially formulated compound which, when used in limited slip equipped rear axles, helps to modify excess clutch plate friction and facilitates smooth application of clutch plates.	118ML	8889003300



DIESEL INJECTOR CLEANER

DESCRIPTION	PACK SIZE & PART NO.	OTHER INFORMATION
A high performance diesel fuel injector cleaner designed for use in passenger car and truck engines. Suitable for all diesel-powered vehicles including latest generation common rail diesel and bio-diesel blends.	350ML 1L	92956570 92956571



LIMITED SLIP DIFFERENTIAL (LSD) ADDITIVE

DESCRIPTION	PACK SIZE & PART NO.	OTHER INFORMATION
A specially formulated compound which, when used in limited slip equipped rear axles, helps to modify excess clutch plate friction and facilitates smooth application of clutch plates.	118ML	8889003300



FUEL & OIL TEST KITS

DESCRIPTION	PACK SIZE & PART NO.	OTHER INFORMATION
Simple low cost tool to ensure your vehicle is free of contaminants to maximise performance. Available for both oil and fuel testing. Testing/analysis is included in the cost of both kits.	SINGLE PACK - FUEL 10 PACK - OIL	92956384 92955789



WINDSCREEN WASHER ADDITIVE & GLASS CLEANER


DESCRIPTION	PACK SIZE & PART NO.	OTHER INFORMATION
Additive for windscreen washer reservoirs to allow for easy removal of grime, spot and insects.	100 SACHET PACK - 5ML 500ML	92955760 92955564

The lubricant solution for all makes and models.

To help you find the right lubricants for your truck or 4WD, we've created the online search tool, 'WHAT LUBRICANT SHOULD I USE?'

Simply input your make and model by following the steps below to quickly find the specific isuzu lubricants for your particular brand of truck or 4WD.

- 1.** To find the right oil and lubricant for your vehicle, first visit **parts.isuzu.com.au**.
- 2.** The online search tool '**What Lubricant Should I Use?**' can be found in the '**Lubricants**' section.
- 3.** If you know your make and model, enter it into the '**Quick Search**' box. Alternatively, select your vehicle type, make and model from our comprehensive list.
- 4.** After you've specified your vehicle, you'll be presented with a detailed list of oils, lubricants and even coolants that are most suited to its configuration.





isuzu.com.au

Isuzu Australia Limited ABN 97 006 962 572 ("IAL"). The information in this brochure was correct at time of printing, but all products, specifications and measurements are subject to change without notice. Some products, specifications and measurements may have been changed and/or are available at extra cost. IAL may make changes at any time without notice, in prices, products, specifications and measurements. IAL makes all reasonable attempts to ensure the availability of all products. The information in this brochure is general in nature. Your Isuzu Truck Dealer can confirm all products, specifications and measurements availability upon request. DEC2020